


Corrigendum

Responses to the queries received from the interested bidders for "SUPPLY AND INSTALLATION OF SANITARY NAPKIN DISPOSAL MACHINE (INCINERATOR) IN GOVERNMENT COLLEGES IN HARYANA"

| S# | RFP Reference  | Agency Name  | Clarifications raised   | Deputy Director Response  |
|----|--|--------------|---|---|
| 1. | Section 4: Eligibility Criteria, Clause 4: Bidder should be an manufacturer of offered Sanitary Napkin Disposal Machine (Incinerator). | M/s Colorz   | It was requested by the service providers to add distributors along with manufacturers to participate in the bidding process.                 | <b>Accepted</b><br>The RPF clause is rephrased as "Bidder should be an manufacturer or distributor ( authorized by OEM) of offered Sanitary Napkin Disposal Machine (Incinerator) " In case of distributor, authorization certificate from OEM to be attached |
| 2. | Section 5: Technical Specification of The product: "WEIGHT"  | All agencies | It was requested by the Service Providers to include the range of weight of Incineration machine from 18-25 kg as it will be mounted on wall. | <b>Accepted</b><br>In the weight specification of the product, the weight shall be in range of 18-25 kg.  |
| 3. | List of Colleges   | All agencies | It was requested by the Service Providers to include the list of colleges where incineration machines are to be installed.                    | <b>Accepted</b>   |
| 6. | As this is an open tender so registration on GeM should not be compulsory.   | M/s Colorz   |   | <b>Not accepted.</b>  |
| 7  | EMD should be 500000/- but we are agreed with all other participants with the current amount.  | M/s Startrek |   | <b>Not accepted.</b>  |

\*\*\*\*\*

  
**Hemant Verma**  
Deputy Director